

EnLiten™ Flush-Glazed Designs
FOR FIBER-CLASSIC® & SMOOTH-STAR® DOORS & SIDELITES

THERMA TRU®
DOORS



MANIFEST YOUR OUTER HOME


Designs for any entry.

At Therma-Tru, we believe your door should always welcome you home — while playing seamlessly into your style. Our EnLiten™ flush-glazed designs create striking profiles that effortlessly combine indoor and outdoor living spaces, inviting in more natural light than ever. The possibilities are endless, giving you doors that perfectly fit your lifestyle.



Create a clean look with maximum views.

During manufacturing, double- or triple-pane glass is built directly into the door. This design eliminates the need for a lite frame and screw plugs, achieving a seamless, consistent finish. Flush-glazed glass expands your view by 16%¹ — choose flush-glazed glass for more natural light and a sleek, uninterrupted aesthetic.



¹ EnLiten flush-glazed designs offer up to a 16% increase in visible glass area compared to conventional lite frames.
Top Left: Smooth-Star, Satin Etch Glass with SDLs, Door – S5700XE, Finish – Elk
Top Right: Smooth-Star, Low-E Glass with SDLs, Door – S4200, Sidelite – S3200SL, Finish – Canyon
Right Page, Top Left: Smooth-Star, Clear Glass with SDLs, Doors – S85715, Finish – Alpine
Right Page, Top Right: Smooth-Star, Internal Blinds, Door – S2600



See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



**Flush-Glazed Glass
with Detailed Sticking**
Look for the (🔺) symbol.



**Flush-Glazed Glass
with Square Sticking**
Look for the (🔻) symbol.



Lip-Lite Frame

Seamless style. Controllable privacy.

Smooth-Star® doors with internal blinds featuring EnLiten flush-glazed designs deliver simplicity and convenience with contemporary appeal. Discover attractive, durable entry solutions for around the house, including patio, side and back doors allowing for optimal daylight and outdoor views, or complete privacy.



Strength is built in.

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.

Durable by design.

Intentional design for exceptional performance — sleek flush-glazed glass provides increased protection against air and water infiltration.¹



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy-Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.²



Withstands Winds Up to 167mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).³ (ASTM-E330)

Year-round comfort, no matter the weather.


Factory-coated Low-E glass features a thin layer that reflects infrared and ultraviolet (UV) light, helping deliver exceptional energy efficiency.

NEW

Select flush-glazed full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements indicated in **gold** starting on page 10.



In cold weather, Low-E glass reflects a home's heat back inside to help keep the home warm.



In warm weather, Low-E glass reflects the sun's rays off the glass and a home's air conditioning back inside to help keep the home cool.

¹Comparison of a flush-glazed full-lite door and a Lip-lite full-lite door.

²Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

³Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Check product approvals before purchasing. Note: See your Therma-Tru seller or visit thermatru.com for details on ENERGY STAR qualified products.

Right Page: Fiber-Classic Mahogany Collection, Saratoga Glass, Door – FCM86240, Sidelites – FCM86201SL, Finish – Acorn


Decorative Glass Options with Triple-Pane Construction

Saratoga™

The first decorative glass available in flush-glazed designs for Fiber-Classic and Smooth-Star, Saratoga evokes a certain urban sophistication while offering modest privacy with its clear bevels, diamond glass, reeded glass and coming. The geometric pattern bridges both modern and traditional designs.



1 7 10
Privacy Scale



Black Nickel




Brushed Nickel



Privacy & Textured Glass Options with Triple-Pane Construction

For just the right balance of privacy and natural light, textured glass options provide a smart solution.



Triple-Pane Flush-Glazed Glass

Reeded (XK)



Satin Etch (XE)



Chord (XC)



Chinchilla (XJ)



Rainglass (XR)



Granite (XN)



Divided Lites

For Clear and Privacy Glass

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Coordinate with the home's window patterns for a cohesive look and increased curb appeal. Choose from Colonial, Craftsman, Prairie and Modern styles to suit the home's architectural details. Tailor the look with different texture, profile and color choices. Available glass options include elegant privacy and textured, energy-efficient Low-E and clear glass.


Simulated Divided Lite (SDL) Bar Options



Grained Scrolled
(28.6 mm / 1.125 in.)



Grained Flat
(28.6 mm / 1.125 in.)



Grained Wide
(88.9 mm / 3.5 in.)



Smooth Scrolled
(28.6 mm / 1.125 in.)



Smooth Flat
(28.6 mm / 1.125 in.)



Smooth Wide
(88.9 mm / 3.5 in.)

GBG Bar Options



Flat
(20 mm / 0.787 in.)



Contour
(18 mm / 0.708 in.)

GBG Color Options



White



Almond¹



Bronze¹



Black



Tan²



Stone²


Black GBGs available in select grid patterns for Smooth-Star, Profiles, and Traditions only.

¹Almond and Bronze GBGs available in flat bars only.

²Available in Special Quote Program.

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, and details on glass privacy ratings and designs.

GRID PATTERNS



NEW Flush-Glazed Half-Lite 1-Panel Shaker Doors & Sidelites for Smooth-Star® Doors




Classic Shaker-style charm.

Capture the beautiful simplicity of Shaker style with half-lite 1-panel Shaker doors and sidelites with flush-glazed glass. Available with privacy and textured, energy-efficient Low-E glass and divided lite styles.

Now Available

NEW Impact-Rated Full-Lite Flush-Glazed Glass Designs for Smooth-Star® Doors



More light along the coast.

Enjoy the clean style and increased daylight opening of full-lite EnLiten™ flush-glazed glass, now engineered to withstand extreme weather conditions.¹ Available with privacy and textured, energy-efficient Low-E glass and a wide selection of simulated divided lite styles.

¹Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.

Note: See your Therma-Tru seller or visit thermatru.com for product approvals, installation instructions and details on available product sizes and options. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.



















Top: Smooth-Star, Low-E Glass with SDLs, Door – S84200, Finish – Golden Wheat

Right Page: Fiber-Classic Oak Collection, Clear Glass with SDLs, Door – FC5700, Sidelite – FC5700SL, Finish – Wildflower Honey

Full Lites



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

 <p>Oak</p> <p>FC1205_</p> <p> </p> <p>2'6" x 6'8"</p> <p>2'8" x 6'8"</p> <p>3'0" x 6'8"</p>	 <p>Oak</p> <p>FC1207_</p> <p> </p> <p>2'6" x 6'8"</p> <p>2'8" x 6'8"</p> <p>3'0" x 6'8"</p>	 <p>Oak</p> <p>2010_</p> <p> </p> <p>2'6" x 6'8"</p> <p>2'8" x 6'8"</p> <p>3'0" x 6'8"</p>	 <p>Oak</p> <p>2050_</p> <p> </p> <p>2'6" x 6'8"</p> <p>2'8" x 6'8"</p> <p>3'0" x 6'8"</p>	 <p>Oak</p> <p>2050_SL</p> <p> </p> <p>12" x 6'8"</p> <p>14" x 6'8"</p>	 <p>Oak</p> <p>FC5700_</p> <p> </p> <p>2'6" x 6'8"</p> <p>2'8" x 6'8"</p> <p>3'0" x 6'8"</p> <p>FC85700_</p> <p> </p> <p>2'6" x 8'0"</p> <p>2'8" x 8'0"</p> <p>2'10" x 8'0"</p> <p>3'0" x 8'0"</p>
 <p>Oak</p> <p>FC5710_</p> <p> </p> <p>2'6" x 6'8"</p> <p>2'8" x 6'8"</p> <p>3'0" x 6'8"</p> <p>FC85710_</p> <p> </p> <p>2'6" x 8'0"</p> <p>2'8" x 8'0"</p> <p>2'10" x 8'0"</p> <p>3'0" x 8'0"</p>	 <p>Oak</p> <p>FC5720_</p> <p> </p> <p>2'6" x 6'8"</p> <p>2'8" x 6'8"</p> <p>3'0" x 6'8"</p> <p>FC85720_</p> <p> </p> <p>2'6" x 8'0"</p> <p>2'8" x 8'0"</p> <p>2'10" x 8'0"</p> <p>3'0" x 8'0"</p>	 <p>Oak</p> <p>FC691_</p> <p> </p> <p>2'6" x 6'8"</p> <p>2'8" x 6'8"</p> <p>3'0" x 6'8"</p> <p>FC8691_</p> <p> </p> <p>2'6" x 8'0"</p> <p>2'8" x 8'0"</p> <p>2'10" x 8'0"</p> <p>3'0" x 8'0"</p>	 <p>Oak</p> <p>FC685L_</p> <p> </p> <p>2'6" x 6'8"</p> <p>2'8" x 6'8"</p> <p>3'0" x 6'8"</p> <p>FC8685L_</p> <p> </p> <p>2'6" x 8'0"</p> <p>2'8" x 8'0"</p> <p>2'10" x 8'0"</p> <p>3'0" x 8'0"</p>	 <p>Oak</p> <p>FC685R_</p> <p> </p> <p>2'6" x 6'8"</p> <p>2'8" x 6'8"</p> <p>3'0" x 6'8"</p> <p>FC8685R_</p> <p> </p> <p>2'6" x 8'0"</p> <p>2'8" x 8'0"</p> <p>2'10" x 8'0"</p> <p>3'0" x 8'0"</p>	

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 6.

XK = Reeded

XE = Satin Etch

XC = Chord






































XJ = Chinchilla

XR = Rainglass

XN = Granite

NEW

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold ▽.

						
Oak FC5700_SL 12" x 6'8" △ 14" x 6'8" △	Oak FC5710_SL 12" x 6'8" △ 14" x 6'8" △	Oak FC5720_SL 12" x 6'8" △ 14" x 6'8" △	Smooth S1205 2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △	Smooth S1207 2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △	Smooth S2010_  2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △	Smooth S2050_  2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △
						
Smooth S5705  2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △	Smooth S85705_  2'6" x 8'0" △ 2'8" x 8'0" △ 2'10" x 8'0" △ 3'0" x 8'0" △	Smooth S5715_  2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △	Smooth S85715_  2'6" x 8'0" △ 2'8" x 8'0" △ 2'10" x 8'0" △ 3'0" x 8'0" △	Smooth S5725_  2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △	Smooth S85725_  2'6" x 8'0" △ 2'8" x 8'0" △ 2'10" x 8'0" △ 3'0" x 8'0" △	Smooth S2010_SL  10" x 6'8" △ 12" x 6'8" △ (70") 14" x 6'8" △ (70")
	Smooth S85226_SL  12" x 8'0" △ 14" x 8'0" △	Smooth S2000_SL-2C*  10" x 6'8" △ 12" x 6'8" △ (70") 14" x 6'8" △ (70")				
						
Smooth S2000_SL-4C*  10" x 6'8" △ 12" x 6'8" △ 14" x 6'8" △	Smooth S5700_  2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △	Smooth S85700_  2'6" x 8'0" △ 2'8" x 8'0" △ 2'10" x 8'0" △ 3'0" x 8'0" △	Smooth S5710_  2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △	Smooth S85710_  2'6" x 8'0" △ 2'8" x 8'0" △ 2'10" x 8'0" △ 3'0" x 8'0" △	Smooth S5720_  2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △	Smooth S85720_  2'6" x 8'0" △ 2'8" x 8'0" △ 2'10" x 8'0" △ 3'0" x 8'0" △
	Smooth S691_  2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △	Smooth S8691_  2'6" x 8'0" △ 2'8" x 8'0" △ 2'10" x 8'0" △ 3'0" x 8'0" △				

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 6.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite



Smooth

S3400L




2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83400L



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3400R




2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83400R



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3300



2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83300



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3500L



2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83500L



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3500R



2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83500R



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S685L



2'6" x 6'8" Δ
2'8" x 6'8" Δ
2'10" x 6'8" Δ
3'0" x 6'8" Δ

S8685L



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S685R



2'6" x 6'8" Δ
2'8" x 6'8" Δ
2'10" x 6'8" Δ
3'0" x 6'8" Δ

S8685R



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3600L



2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83600L



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3600R




2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83600R



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S5700_SL




10" x 6'8" Δ
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")

S85227_SL



12" x 8'0"
14" x 8'0"



Smooth

S5710_SL




10" x 6'8" Δ
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")

S85228_SL



12" x 8'0"
14" x 8'0"



Smooth

S5720_SL



10" x 6'8" Δ
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")

S85229_SL



12" x 8'0"
14" x 8'0"

Flush-Glazed Glass with Detailed Sticking (FG)
Flush-Glazed Glass with Square Sticking (FG)

Low-E Glass (LE)
Simulated Divided Lites (SDL)
Simulated Divided Lites (SDLF1)

Simulated Divided Lites (SDLF2)
Vented Sidelite Options
WBDR Options

Elevated 10" Bottom Rail Options
6'6" Height Available

NEW

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold 🏆.

PRIVACY & TEXTURED GLASS 🌧️

INTERNAL BLINDS 🌧️




Oak

2000
🏆 2'6" x 6'8"
🏆 2'8" x 6'8"
🏆 3'0" x 6'8"



Oak

2000_SL
🏆 12" x 6'8"
🏆 14" x 6'8"




Smooth

S2000
🏆 🏆 🏆 E6
🏆 2'6" x 6'8" ⚡
🏆 2'8" x 6'8" ⚡
🏆 2'10" x 6'8" ⚡
🏆 3'0" x 6'8" ⚡



Smooth

S2000_SL
🏆 🏆 🏆 E
🏆 10" x 6'8" ⚡
🏆 12" x 6'8" ⚡ (7'0")
🏆 14" x 6'8" ⚡ (7'0")



Smooth

S2600
🏆 🏆 🏆 E
🏆 2'6" x 6'8" ⚡
🏆 2'8" x 6'8" ⚡
🏆 2'10" x 6'8" ⚡
🏆 3'0" x 6'8" ⚡

S82600
🏆 🏆 🏆 E
🏆 2'6" x 8'0"
🏆 2'8" x 8'0"
🏆 2'10" x 8'0"
🏆 3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES 🌧️



Mahogany

FCM1205SL
🏆 🏆 🏆 E
🏆 12" x 6'8" (7'0")
🏆 14" x 6'8" (7'0")



Mahogany

FCM1206SL
🏆 🏆 🏆 E
🏆 12" x 6'8" (7'0")
🏆 14" x 6'8" (7'0")



Mahogany

FCM1204SL
🏆 🏆 🏆 E
🏆 12" x 6'8" (7'0")
🏆 14" x 6'8" (7'0")



Mahogany

FCM2009SL
🏆 🏆 🏆 E
🏆 12" x 6'8" (7'0")
🏆 14" x 6'8" (7'0")



Oak

FC1205
🏆 🏆 🏆 E
🏆 2'6" x 6'8"
🏆 2'8" x 6'8"
🏆 3'0" x 6'8"



Oak

FC1206
🏆 🏆 🏆 E
🏆 2'6" x 6'8"
🏆 2'8" x 6'8"
🏆 3'0" x 6'8"



Oak

FC1207
🏆 🏆 🏆 E
🏆 2'6" x 6'8"
🏆 2'8" x 6'8"
🏆 3'0" x 6'8"



Oak

2010
🏆 🏆 🏆 E
🏆 2'6" x 6'8"
🏆 2'8" x 6'8"
🏆 3'0" x 6'8"



Oak

FC1204
🏆 🏆 🏆 E
🏆 2'6" x 6'8"
🏆 2'8" x 6'8"
🏆 3'0" x 6'8"



Oak

2050
🏆 🏆 🏆 E
🏆 2'6" x 6'8"
🏆 2'8" x 6'8"
🏆 3'0" x 6'8"



Oak

8000-12
🏆 🏆 🏆 E
🏆 2'6" x 8'0"
🏆 2'8" x 8'0"
🏆 2'10" x 8'0"
🏆 3'0" x 8'0"



Oak

8000-18
🏆 🏆 🏆 E
🏆 2'6" x 8'0"
🏆 2'8" x 8'0"
🏆 2'10" x 8'0"
🏆 3'0" x 8'0"



Oak

FC1205SL
🏆 🏆 🏆 E
🏆 12" x 6'8"
🏆 14" x 6'8"



Oak

FC1206SL
🏆 🏆 🏆 E
🏆 12" x 6'8"
🏆 14" x 6'8"


Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 6.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite



CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

- 🔥 Flush-Glazed Glass with Detailed Sticking (FG)
- 💧 Flush-Glazed Glass with Square Sticking (FG)
- 🌟 Low-E Glass (LE)

- 📏 Simulated Divided Lites (SDL)
- 📏 1 Simulated Divided Lites (SDLF1)
- 📏 2 Simulated Divided Lites (SDLF2)

- 📏 Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- 📏 Flat Almond Grilles Between Glass (GBGF)
- 📏 Flat Bronze Grilles Between Glass (GBGF)

- 📏 Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- 📏 Vented Sidelite Options
- 📏 WBDR Options


- 📏 E Elevated 10" Bottom Rail Options
- 📏 ⚡ 6'6" Height Available

NEW

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold ▽.

CLEAR GLASS WITH DIVIDED LITES *Continued***Smooth****S8000-12**

26" x 80" △
 28" x 80" △
 210" x 80" △
 30" x 80" △

**Smooth****S8000-18**

26" x 80" △
 28" x 80" △
 210" x 80" △
 30" x 80" △

**Smooth****S5705**

26" x 68" △
 28" x 68" △
 210" x 68" △
 30" x 68" △

26" x 80" △
 28" x 80" △
 210" x 80" △
 30" x 80" △

**Smooth****S5715**

26" x 68" △
 28" x 68" △
 210" x 68" △
 30" x 68" △

26" x 80" △
 28" x 80" △
 210" x 80" △
 30" x 80" △

**Smooth****S5725**

26" x 68" △
 28" x 68" △
 210" x 68" △
 30" x 68" △

26" x 80" △
 28" x 80" △
 210" x 80" △
 30" x 80" △

**Smooth****S1205SL**

10" x 68" △
 12" x 68" △ (70")
 14" x 68" △ (70")

**Smooth****S1206SL**

10" x 68" △
 12" x 68" △ (70")
 14" x 68" △ (70")

**Smooth****S1204SL**

10" x 68" △
 12" x 68" △ (70")
 14" x 68" △ (70")

**Smooth****S2010SL**

10" x 68" △
 12" x 68" △ (70")
 14" x 68" △ (70")

12" x 80" △
 14" x 80" △

**Smooth****S2000SL-2C**

10" x 68" △
 12" x 68" △ (70")
 14" x 68" △ (70")

**Smooth****S2000SL-4C**

10" x 68" △
 12" x 68" △ (70")
 14" x 68" △ (70")


**Smooth****S2009**

20" x 68" △
 26" x 68" △
 28" x 68" △
 210" x 68" △
 30" x 68" △

20" x 80" △
 26" x 80" △
 28" x 80" △
 210" x 80" △
 30" x 80" △

**Smooth****S2009SL**

10" x 68" △
 12" x 68" △ (70")
 14" x 68" △ (70")

**Smooth****S5700**

26" x 68" △
 28" x 68" △
 210" x 68" △
 30" x 68" △

26" x 80" △
 28" x 80" △
 210" x 80" △
 30" x 80" △

**Smooth****S5710**

26" x 68" △
 28" x 68" △
 210" x 68" △
 30" x 68" △

26" x 80" △
 28" x 80" △
 210" x 80" △
 30" x 80" △

**Smooth****S5720**

26" x 68" △
 28" x 68" △
 210" x 68" △
 30" x 68" △

26" x 80" △
 28" x 80" △
 210" x 80" △
 30" x 80" △

**Smooth****S691**


26" x 68" △
 28" x 68" △
 210" x 68" △
 30" x 68" △

26" x 80" △
 28" x 80" △
 210" x 80" △
 30" x 80" △

**Smooth****S3400L**

26" x 68" △
 28" x 68" △
 210" x 68" △
 30" x 68" △

26" x 80" △
 28" x 80" △
 210" x 80" △
 30" x 80" △




Smooth

S3400R

 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"

S83400R

 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 3'0" x 8'0"




Smooth

S3300

 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"

S83300

 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 3'0" x 8'0"



Smooth

S3500L

 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"

S83500L

 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 3'0" x 8'0"




Smooth

S3500R

 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"

S83500R

 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 3'0" x 8'0"




Smooth

S685L

 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"

S8685L

 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 3'0" x 8'0"



Smooth

S685R

 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"

S8685R

 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 3'0" x 8'0"



Smooth

S3600L

 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"

S83600L

 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 3'0" x 8'0"




Smooth

S3600R

 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"

S83600R

 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 3'0" x 8'0"




Smooth

S5700SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

S85227SL

 12" x 8'0"
 14" x 8'0"



Smooth

S5710SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

S85228SL

 12" x 8'0"
 14" x 8'0" (7'0")

CLEAR GLASS



Smooth

S5720SL

 10" x 6'8"K
 12" x 6'8"K (7'0")
 14" x 6'8"K (7'0")

S85229SL

 12" x 8'0"
 14" x 8'0"



Oak

2000

 2'0" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"

8000

 2'0" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

2000SL

 12" x 6'8"
 14" x 6'8"



Smooth

S2000

 2'0" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8000

 2'0" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S2000SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

S85225SL

 12" x 8'0"
 14" x 8'0"

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)

- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)

- Flat Bronze Grilles Between Glass (GBGF)
- Vented Sidelite Options
- WBDR Options

- Elevated 10" Bottom Rail Options
- 6'6" Height Available

3/4 Lites



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S2103_	S82103_	S2104_	S82105_	S82106_	S2250_	S82107_	S84886_SL
2'6" x 6'8"	2'6" x 8'0"	2'6" x 6'8"	2'6" x 8'0"	2'6" x 8'0"	2'6" x 6'8"	2'6" x 8'0"	12" x 8'0"
2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	14" x 8'0"
2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	

PRIVACY & TEXTURED GLASS

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S2103_SL	S2104_SL	S2250_SL	S2200_	S82200_	S8000_SL	S2200_SL
12" x 6'8"	12" x 6'8"	12" x 6'8"	2'6" x 6'8"	2'6" x 8'0"	12" x 8'0"	12" x 6'8"
14" x 6'8"	14" x 6'8"	14" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	14" x 8'0"	14" x 6'8"
			2'10" x 6'8"	2'10" x 8'0"		
			3'0" x 6'8"	3'0" x 8'0"		

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 6.

XK = Reeded

XE = Satin Etch



XC = Chord

XJ = Chinchilla


XR = Rainglass

XN = Granite

CLEAR GLASS WITH DIVIDED LITES



CLEAR GLASS



- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)

- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

1/2 Lites



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S4200_	S84200_	S6200_	S86200_	S9200_	S89200_	S4200_SL	S84200_SL	S6200_SL	S86200_SL
28" x 6'8" (70")	28" x 8'0"	28" x 6'8" (70")	28" x 8'0"	28" x 6'8" (70")	28" x 8'0"	12" x 6'8" (70")	12" x 8'0"	12" x 6'8" (70")	12" x 8'0"
210" x 6'8" (70")	210" x 8'0"	210" x 6'8" (70")	210" x 8'0"	210" x 6'8" (70")	210" x 8'0"	14" x 6'8" (70")	14" x 8'0"	14" x 6'8" (70")	14" x 8'0"
3'0" x 6'8" (70")	3'0" x 8'0"	3'0" x 6'8" (70")	3'0" x 8'0"	3'0" x 6'8" (70")	3'0" x 8'0"				

PRIVACY & TEXTURED GLASS

Smooth	Smooth	Smooth	Smooth
S3200_	S83200_	S3200_SL	S83200_SL
28" x 6'8" (70")	28" x 8'0"	12" x 6'8" (70")	12" x 8'0"
210" x 6'8" (70")	210" x 8'0"	14" x 6'8" (70")	14" x 8'0"
3'0" x 6'8" (70")	3'0" x 8'0"		

CLEAR GLASS WITH DIVIDED LITES

Smooth	Smooth	Smooth
S1350	S2150	S1409
26" x 6'8"	26" x 6'8"	26" x 6'8"
28" x 6'8"	28" x 6'8"	28" x 6'8"
3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 6.


XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

Top: Smooth-Star, Low-E Glass with SDLs, Door - S1350, Finish - Onyx

Right Page: Smooth-Star, Low-E Glass with SDLs, Door - S4200, Sidelite - S3200SL, Finish - Canyon



Smooth

S4200

2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

S84200

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




Smooth

S6200

2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

S86200

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9200

2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

S89200

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4200SL

12" x 6'8" (70")
14" x 6'8" (70")

S84200SL

12" x 8'0"
14" x 8'0"



Smooth

S6200SL

12" x 6'8" (70")
14" x 6'8" (70")

S86200SL

12" x 8'0"
14" x 8'0"


CLEAR GLASS



Smooth

S2100

2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Smooth

S3200

2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

S83200

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3200SL

12" x 6'8" (70")
14" x 6'8" (70")

S83200SL

12" x 8'0"
14" x 8'0"



- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLFI)

- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)

- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Elevated 10" Bottom Rail Options

Craftsman Lites



Optional Dentil Shelves¹



4-Block Dentil Shelf
Available for all Craftsman-style
Fiber-Classic Mahogany
Collection doors.



4-Block Dentil Shelf
Available for all Craftsman-style
Smooth-Star doors.

SARATOGA™

Mahogany	Mahogany	Mahogany	Smooth	Smooth	Smooth
FCM6240	FCM86240	FCM6201SL	FCM86201SL	FCM6240SL	FCM86240SL
2'8" x 6'8" (7'0")	2'8" x 8'0"	12" x 6'8" (7'0")	12" x 8'0"	12" x 6'8" (7'0")	12" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"	14" x 6'8" (7'0")	14" x 8'0"	2'8" x 6'8" (7'0")	2'8" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"			2'10" x 6'8" (7'0")	2'10" x 8'0"
				3'0" x 6'8" (7'0")	3'0" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

Mahogany	Mahogany	Mahogany	Mahogany	Mahogany
FCM4812_*	FCM84812_*	FCM4813_*	FCM84813_*	FCM4814_*
2'8" x 6'8" (7'0")	2'8" x 8'0"	2'8" x 6'8" (7'0")	2'8" x 8'0"	2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")	2'10" x 8'0"	2'10" x 6'8" (7'0")	2'10" x 8'0"	2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")	3'0" x 8'0"	3'0" x 6'8" (7'0")	3'0" x 8'0"	3'0" x 6'8" (7'0")

Privacy & Textured Glass Options			
Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 6.	XK = Reeded	XC = Chord	XR = Rainglass
	XE = Satin Etch	XJ = Chinchilla	XN = Granite

¹Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

*Not available with Reeded (XK) glass.




Mahogany

FCM4812_SL* | FCM84812_SL*

▲ E 12" x 6'8" (7'0") | 12" x 8'0"

▲ 14" x 6'8" (7'0") | 14" x 8'0"




Smooth

S4812_* | S84812_*

▲ E 2'8" x 6'8" (7'0") | 2'8" x 8'0"

▲ 2'10" x 6'8" (7'0") | 2'10" x 8'0"

▲ 3'0" x 6'8" (7'0") | 3'0" x 8'0"



Smooth

S4813_* | S84813_*

▲ E 2'8" x 6'8" (7'0") | 2'8" x 8'0"

▲ 2'10" x 6'8" (7'0") | 2'10" x 8'0"

▲ 3'0" x 6'8" (7'0") | 3'0" x 8'0"




Smooth

S4814_* | S84814_*

▲ E 2'8" x 6'8" (7'0") | 2'8" x 8'0"

▲ 2'10" x 6'8" (7'0") | 2'10" x 8'0"

▲ 3'0" x 6'8" (7'0") | 3'0" x 8'0"



Smooth

S4816_* | S84816_*

▲ E 2'8" x 6'8" (7'0") | 2'8" x 8'0"

▲ 2'10" x 6'8" (7'0") | 2'10" x 8'0"

▲ 3'0" x 6'8" (7'0") | 3'0" x 8'0"

PRIVACY & TEXTURED GLASS



Smooth

S2010_SL | S84886_SL

▲ 10" x 6'8" (7'0") | 12" x 8'0"

▲ 12" x 6'8" (7'0") | 14" x 8'0"

▲ 14" x 6'8" (7'0")



Smooth

S4812_SL* | S84812_SL*

▲ 12" x 6'8" (7'0") | 12" x 8'0"

▲ 14" x 6'8" (7'0") | 14" x 8'0"



Mahogany

FCM4810_* | FCM84810_*

▲ E 2'8" x 6'8" (7'0") | 2'8" x 8'0"

▲ 2'10" x 6'8" (7'0") | 2'10" x 8'0"

▲ 3'0" x 6'8" (7'0") | 3'0" x 8'0"



Mahogany

FCM2000_SL | FCM8000_SL

▲ 12" x 6'8" (7'0") | 12" x 8'0"

▲ 14" x 6'8" (7'0") | 14" x 8'0"




Mahogany

FCM4810_SL* | FCM84810_SL*

▲ 12" x 6'8" (7'0") | 12" x 8'0"

▲ 14" x 6'8" (7'0") | 14" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



Smooth

S4810_* | S84810_*

▲ E 2'8" x 6'8" (7'0") | 2'8" x 8'0"

▲ 2'10" x 6'8" (7'0") | 2'10" x 8'0"

▲ 3'0" x 6'8" (7'0") | 3'0" x 8'0"



Smooth

S2000_SL | S8000_SL

▲ 10" x 6'8" (7'0") | 12" x 8'0"

▲ 12" x 6'8" (7'0") | 14" x 8'0"

▲ 14" x 6'8" (7'0")



Smooth

S4810_SL* | S84810_SL*

▲ 12" x 6'8" (7'0") | 12" x 8'0"

▲ 14" x 6'8" (7'0") | 14" x 8'0"



Mahogany

FCM4812 | FCM84812

▲ E 2'8" x 6'8" (7'0") | 2'8" x 8'0"

▲ 2'10" x 6'8" (7'0") | 2'10" x 8'0"

▲ 3'0" x 6'8" (7'0") | 3'0" x 8'0"



Mahogany

FCM4813 | FCM84813

▲ E 2'8" x 6'8" (7'0") | 2'8" x 8'0"

▲ 2'10" x 6'8" (7'0") | 2'10" x 8'0"

▲ 3'0" x 6'8" (7'0") | 3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (F6)
- Low-E Glass (LE)

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)

- Vented Sidelite Options
- Elevated 10" Bottom Rail Options

CLEAR GLASS WITH DIVIDED LITES *Continued*



Mahogany

FCM4814

28" x 6'8" (70")
210" x 6'8" (70")
3'0" x 6'8" (70")

FCM84814

28" x 8'0"
210" x 8'0"
3'0" x 8'0"



Mahogany

FCM4816

28" x 6'8" (70")
210" x 6'8" (70")
3'0" x 6'8" (70")

FCM84816

28" x 8'0"
210" x 8'0"
3'0" x 8'0"



Mahogany

FCM2050SL

12" x 6'8" (70")
14" x 6'8" (70")

FCM84886SL

12" x 8'0"
14" x 8'0"




Mahogany

FCM4812SL

12" x 6'8" (70")
14" x 6'8" (70")

FCM84812SL

12" x 8'0"
14" x 8'0"




Smooth

S4812

28" x 6'8" (70")
210" x 6'8" (70")
3'0" x 6'8" (70")

S84812

28" x 8'0"
210" x 8'0"
3'0" x 8'0"




Smooth

S4813

28" x 6'8" (70")
210" x 6'8" (70")
3'0" x 6'8" (70")

S84813

28" x 8'0"
210" x 8'0"
3'0" x 8'0"




Smooth

S4814

28" x 6'8" (70")
210" x 6'8" (70")
3'0" x 6'8" (70")

S84814

28" x 8'0"
210" x 8'0"
3'0" x 8'0"



Smooth

S4816

28" x 6'8" (70")
210" x 6'8" (70")
3'0" x 6'8" (70")

S84816

28" x 8'0"
210" x 8'0"
3'0" x 8'0"



Smooth

S2010SL

10" x 6'8" (70")
12" x 6'8" (70")
14" x 6'8" (70")

S84886SL

12" x 8'0"
14" x 8'0"



Smooth

S4812SL

12" x 6'8" (70")
14" x 6'8" (70")

S84812SL

12" x 8'0"
14" x 8'0"

CLEAR GLASS




Mahogany

FCM4810

28" x 6'8" (70")
210" x 6'8" (70")
3'0" x 6'8" (70")

FCM84810

28" x 8'0"
210" x 8'0"
3'0" x 8'0"



Mahogany

FCM2000SL

12" x 6'8" (70")
14" x 6'8" (70")

FCM3000SL

12" x 8'0"
14" x 8'0"




Mahogany

FCM4810SL

12" x 6'8" (70")
14" x 6'8" (70")

FCM84810SL

12" x 8'0"
14" x 8'0"



Smooth

S4810

28" x 6'8" (70")
210" x 6'8" (70")
3'0" x 6'8" (70")

S84810

28" x 8'0"
210" x 8'0"
3'0" x 8'0"



Smooth

S2000SL

10" x 6'8" (70")
12" x 6'8" (70")
14" x 6'8" (70")

S8000SL

12" x 8'0"
14" x 8'0"



Smooth

S4810SL




12" x 6'8" (70")
14" x 6'8" (70")

S84810SL

12" x 8'0"
14" x 8'0"

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)

-  Simulated Divided Lites (SDLF1)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat Almond Grilles Between Glass (GBGF)

-  Flat Bronze Grilles Between Glass (GBGF)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
-  Vented Sidelite Options

-  Elevated 10" Bottom Rail Options
-  6'6" Height Available





thermatru.com

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle
Maumee, OH 43537



#thermatru

LIFETIME
LIMITED WARRANTY

EnLiten™ flush-glazed designs are backed by our comprehensive lifetime limited warranty, plus warranty riders for peace of mind.

EnLiten™ Flush-Glazed Riders

For Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

For Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

Cover: Smooth-Star, Low-E Glass with SDLs, Door – S84200, Vented Sidelites – S8000SL, Finish – Onyx

©2025 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. is an operating company of Fortune Brands Innovations, Inc. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. O24-144653 Part #MAFFGB25 MTZT / JAN 2025